

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
27 May 2004 (27.05.2004)

PCT

(10) International Publication Number  
**WO 2004/043437 A1**

(51) International Patent Classification<sup>7</sup>: **A61K 9/14**

(21) International Application Number:  
PCT/KR2003/002441

(22) International Filing Date:  
13 November 2003 (13.11.2003)

(25) Filing Language: Korean

(26) Publication Language: English

(30) Priority Data:  
10-2002-0070428  
13 November 2002 (13.11.2002) KR

(71) Applicant (for all designated States except US): **HANMI PHARM. CO., LTD.** [KR/KR]; #893-5, Hajeo-ri, Paltan-myeon, Hwaseong-gun, 445-910 Kyungki-do (KR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **WOO, Jong Soo** [KR/KR]; Baekseolmaeul 598-1302, Jeongja-dong, Jang-gu, 440-300 Suwon-si, Kyungki-do (KR). **KIM, Hyuk Jin** [KR/KR]; No. 106, 161-33, Chonchon-dong,

Jangan-gu, 440-300 Suwon-si, Kyungki-do (KR). **KIM, Young Hun** [KR/KR]; No. 304, 525-15, Yuljon-dong, Jangan-gu, 440-320 Suwon-si, Kyungki-do (KR).


(74) Agent: **JANG, Seongku**; 19th Fl., KEC Building, #275-7, Yangjae-dong, Seocho-ku, Seoul 137-130 (KR).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: METHOD FOR THE PREPARATION OF PACLITAXEL SOLID DISPERSION BY USING THE SUPERCRITICAL FLUID PROCESS AND PACLITAXEL SOLID DISPERSION PREPARED THEREBY



(57) Abstract: The present invention relates to a method for the preparation of paclitaxel solid dispersion by using the supercritical fluid process and paclitaxel solid dispersion prepared thereby, the paclitaxel solid dispersion being highly homogeneous and showing an improved solubility, thereby being effectively used for the preparation of paclitaxel injection and oral preparation having a high bioavailability.

WO 2004/043437 A1